



Envirotech Accent Blackout Blind Fabric

“Intelligent Blind Fabrics, Protecting You and The Environment.”

Accent Blackout is a stylish fabric with a colour matching acrylic foam-coated backing that offers a large range of choice in terms of colour and size.


With 30 colours to choose from, this fabric provides superior blackout qualities that will cast any room into darkness. It is fire retardant, odourless and colourfast, with 11 colours available in additional widths and a further 10 available with a whiteback option for increased levels of solar reflectance.



Accent Blackout Fire Retardant

The blackout range comes with 30 matching colours front and back. With an acrylic foam backing, this fabric is PVC free and totally impermeable to light.

As with all Enviroscreen fabrics, Accent Blackout fabric comes with a lifetime warranty. This fabric has been developed to work perfectly alongside the Accent Dimout fabric range, helping to maintain continuity across spaces that require different yet coherent levels of shading.



More fabric colours and data tables overleaf...

Fabric Composition:	100% Polyester
Fabric Range:	30 - Blackout / 10 - White back
Louvre Widths:	127mm (5") / 89mm (3.5")
Vertical Roll Length:	100m
Roller Fabric Width:	2000mm / 2500mm / 3000mm
Roller Fabric Length:	30m
Fabric Thickness:	0.48mm
Fabric Weight:	390 g/m ²
Fire Retardancy:	BS5867, Part 2: Type B, 2008
Shading:	Blackout
Moisture Resistance:	Suitable for moist conditions
Colourfast:	Conforms to BS5867 - 1: 2004 when tested in accordance with ISO 105-B02:1999



Accent Dimout
Prime range

Accent Blackout Fire Retardant

	2500 / 3000 mm	2000 mm	127 mm / 89 mm	HT %	LT %	SC	LR %	UV %	AB %	HR %
Frost				0	0	0.30	85	100	25	75
Sesame				0	0	0.34	77	100	31	69
Vanilla				0	0	0.35	69	100	33	67
Warm Almond				0	0	0.34	74	100	31	69
Taupe				0	0	0.51	32	100	59	41
Chocolate				0	0	0.66	14	100	85	15
Plum				0	0	0.49	12	100	55	45
Lilac				0	0	0.43	32	100	46	54
Dusty Pink				0	0	0.42	47	100	44	56
Rose				0	0	0.37	62	100	36	64
Pink				0	0	0.42	28	100	45	55
Berry				0	0	0.61	11	100	76	24
Scarlett				0	0	0.46	18	100	52	48
Tangerine				0	0	0.45	29	100	50	50
Sunshine				0	0	0.39	70	100	40	60

- HT % : Heat Transmittance
- LT % : Light Transmittance
- SC : Shading Co-Efficiency
- LR % : Light Reflection
- UV % : Sun Block & UV Protection
- AB % : Absorption
- HR% : Heat Reflection



WB White Backed

Accent Blackout Fire Retardant

	2500 / 3000 mm	2000 mm	127 mm / 89 mm	HT %	LT %	SC	LR %	UV %	AB %	HR %
Primrose				0	0	0.35	76	100	33	67
Apple				0	0	0.41	62	100	43	57
Marsh				0	0	0.52	25	100	61	39
Pine Green				0	0	0.55	14	100	66	34
Dark Azure				0	0	0.70	7	100	90	10
Cobalt				0	0	0.60	11	100	74	26
Turquoise				0	0	0.50	27	100	58	42
Marine				0	0	0.59	21	100	72	28
Surf				0	0	0.39	52	100	40	60
Ash				0	0	0.38	56	100	39	61
Stone Grey				0	0	0.49	49	100	56	44
Fossil Grey				0	0	0.59	31	100	72	28
Graphite				0	0	0.62	24	100	78	22
Steel				0	0	0.69	13	100	88	12
Coal				0	0	0.72	7	100	93	7

- HT % : Heat Transmittance
- LT % : Light Transmittance
- SC : Shading Co-Efficiency
- LR % : Light Reflection
- UV % : Sun Block & UV Protection
- AB % : Absorption
- HR% : Heat Reflection



WB White Backed